

Dichlorprop DX

Date of Preparation: March 26, 2020

Section 1: IDENTIFICATION	
Product Name:	Dichlorprop DX
Pest Control Product Number:	29664
Product Use:	Phenoxy (Broadleaf) Herbicide.
Restrictions on Use:	Not available.
Manufacturer/Supplier:	Interprovincial Cooperative LTD. (IPCO) 945 Marion Street Winnipeg, MB R2J 0K7
Phone Number:	204.233.3461
Emergency Phone:	204.233.3461
	CANUTEC: 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on a cellular phone.
Date of Preparation of SDS:	March 26, 2020
Section 2: HAZARD(S) IDENTIFICATION	

GHS INFORMATION

Classification:	Acute Toxicity - Oral, Category 4
	Acute Toxicity - Inhalation, Category 4
	Skin Irritation, Category 2
	Sensitization - Skin, Category 1
	Aspiration Hazard, Category 1

LABEL ELEMENTS

Hazard Pictogram(s):



Signal Word:	Danger
Hazard Statements:	Harmful if swallowed. Harmful if inhaled. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Precautionary Statements

Avoid breathing mist, vapours, or spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves, protective clothing and eye protection.

Response: IF SWALLOWED: Immediately call a POISON CENTER or doctor. IF ON SKIN: Wash with plenty of water.



Dichlorprop DX

Date of Preparation: March 26, 2020

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with applicable regional, national and local laws and regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is considered hazardous by the Hazardous Products Regulations.

	· · · · · · · · · · · · · · · · · · ·			
	Section 3: COMPOSITION /	INFORMATION ON IN	NGREDIENTS	
Hazardous Ingredient(s)		Common name / Synonyms	CAS No.	% wt./wt.
Dichlorprop-p-2-e	thylhexyl	Not available.	865363-39-9	41.77 - 44.35
2,4-Dichlorophenoxyacetic acid, isooctyl ester		2,4-D-isoctyl	25168-26-7	39.52 - 41.96
Distillates (petrole	um), hydrotreated light	Not available.	64742-47-8	8.97 - 9.53
	Section 4: FII	RST-AID MEASURES		
Inhalation:	If inhaled: Remove per Call a poison center or		•	e for breathing.
	Acute and delayed sym respiratory irritation. Sig discharge, headache, h	gns/symptoms may i	nclude cough, si	neezing, nasal
Eye Contact:	If in eyes: Rinse cautio contact lenses, if prese center or doctor if you f	ent and easy to do. C		
	Acute and delayed sym Signs/symptoms may in or hazy vision.	•		
Skin Contact:	If on skin: Wash with pl medical advice/attentio before reuse.			

Acute and delayed symptoms and effects: May cause an allergic skin reaction. Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.



Dichlorprop DX Date of Preparation: March 26, 2020

••••••••••••••••		
Ingestion:	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.	
	Acute and delayed symptoms and effects: Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.	
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).	
Note to Physicians:	Symptoms may not appear immediately.	
Section 5: FIRE-FIGHTING MEASURES		

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: Sensitivity to Static Discharge:	This material is not sensitive to mechanical impact. This material is sensitive to static discharge at temperatures at or above the flash point.
MEANS OF EXTINCTION	
Suitable Extinguishing Media:	Small Fire: Dry chemical, CO2, water spray or regular foam.
	Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.
Unsuitable Extinguishing Media:	Not available.
Products of Combustion:	Oxides of carbon. Hydrochloric acid. Chlorine.
Protection of Firefighters:	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES	
Emergency Procedures:	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
Personal Precautions:	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.
Environmental Precautions:	Keep out of drains, sewers, ditches, and waterways.
Methods for Containment:	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.
Methods for Clean-Up:	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.



Dichlorprop DX

Date of Preparation: March 26, 2020

SAFETY DATA SHEET Other Information:

See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Avoid breathing mist, vapours, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. See Section 8 for information on Personal Protective Equipment.

Storage:

Store locked up. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Dichlorprop-p-2-ethylhexyl [CAS No. 865363-39-9]

ACGIH: No TLV established. **OSHA:** No PEL established.

2,4-Dichlorophenoxyacetic acid, isooctyl ester [CAS No. 25168-26-7]

ACGIH: No TLV established.

OSHA: No PEL established.

Distillates (petroleum), hydrotreated light [CAS No. 64742-47-8]

ACGIH: 100 ppm (TWA); (1980); For Stoddard solvent OSHA: 500 ppm (TWA), 2900 mg/m³ (TWA); For Stoddard solvent. 100 ppm (TWA) [Vacated]; For Stoddard solvent.

PEL: Permissible Exposure Limit **TLV:** Threshold Limit Value **TWA:** Time-Weighted Average

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, gas, etc.) below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:

Wear chemical safety goggles. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection:

Wear protective gloves. Consult manufacturer specifications for further information.



SAFETY DATA SHEET	Date of Preparation: March 26, 2020
Skin and Body Protection:	Wear protective clothing.
Respiratory Protection:	If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA- Z94.4-11, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to

	ensure adequate protection.
Secti	on 9: PHYSICAL AND CHEMICAL PROPERTIES
Appearance:	Brown liquid.
Colour:	Brown.
Odour:	Solvent.
Odour Threshold:	Not available.
Physical State:	Liquid.
pH (1% solution):	4.5
Melting Point / Freezing Point:	< 0 °C (32 °F)
Initial Boiling Point:	237 °C (458.6 °F) (Distillates, (petroleum), hydrotreated light)
Boiling Range:	237 to 277 °C (458.6 to 530.6 °F) (Distillates, (petroleum), hydrotreated light)
Flash Point:	> 93.3 °C (199.94 °F) (TCC)
Evaporation Rate:	< 0.001 (n-BuAc = 1) (Distillates, (petroleum), hydrotreated light)
Flammability (solid, gas):	Not applicable.
Lower Flammability Limit:	0.5 %
Upper Flammability Limit:	4.8 %
Vapor Pressure:	0 kPa at 20 $^{\circ}$ C (68 $^{\circ}$ F) (Distillates, (petroleum), hydrotreated light)
Vapor Density:	> 7.5 (Air = 1) Distillates, (petroleum), hydrotreated light
Relative Density:	1.1 (Water = 1) at 20 °C (68 °F)
Solubilities:	Emulsifies in water.
Partition Coefficient: n- Octanol/Water:	Not available.
Auto-ignition Temperature:	243 °C (469.4 °F) (Distillates, (petroleum), hydrotreated light)
Decomposition Temperature:	Not available.



SAFETY DATA SHEET	Date of Preparation: March 26, 2020
Viscosity:	43.2 cP at 20 °C (68 °F)
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	Not available.
Density:	Not available.
Coefficient of Water/Oil Distribution:	Not available.
	Section 10: STABILITY AND REACTIVITY
Reactivity:	Contact with incompatible materials. Sources of ignition. Exposure to heat.

	neat.
Chemical Stability:	Stable under normal storage conditions.
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Contact with incompatible materials. Sources of ignition. Exposure to heat.
Incompatible Materials:	Acids. Oxidizers.

Hazardous Decomposition Products: Not available.

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Oral: 926 mg/kg (rat)

Dermal: > 2000 mg/kg (rat)

Inhalation: 2.6 mg/L (rat); 4H

Component Toxicity

Component	CAS No.	LD ₅₀ oral	LD50 dermal	LC50
Dichlorprop-p-2-ethylhexyl	865363-39-9	Not available.	Not available.	Not available.
2,4-Dichlorophenoxyacetic	25168-26-7	982 mg/kg	> 2000 mg/kg	Not available.
acid, isooctyl ester		(rat)	(rabbit)	
Distillates (petroleum),	64742-47-8	Not available.	Not available.	Not available.
hydrotreated light				

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs:Skin. Eyes. Gastrointestinal tract. Respiratory system. Central
nervous system.

Symptoms (including delayed and immediate effects)

- Inhalation: Harmful if inhaled. May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
- **Eye:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.



Dichlorprop DX

Date of Preparation: March 26, 2020

- Skin: May cause an allergic skin reaction. Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
- **Ingestion:** Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization:	Not available.
Respiratory Sensitization:	Not available.
Medical Conditions Aggravated By Exposure:	Not available.

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs:	Skin. Eyes. Gastrointestinal tract. Respiratory system. Central nervous
	system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity: Product is not classified as a carcinogen. See Component Carcinogenicity table below for information on individual components.

Component Carcinogenicity	ent Carcinogenicity
---------------------------	---------------------

component carcing	Jyenicity				
Component	ACGIH	IARC	NTP	OSHA	Prop 65
Dichlorprop-p-2- ethylhexyl	Not listed.	Group 2B	Not listed.	OSHA Carcinogen.	Not listed.
2,4-D-isoctyl	Not listed.	Group 2B	Not listed.	OSHA Carcinogen.	Not listed.
Mutagenicity:	Not av	ailable.			
Reproductive Effect	ts: Not av	ailable.			
Developmental Effe	cts				
Teratogenie	city: Not av	ailable.			
Embryotoxi	city: Not av	ailable.			

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION		
Ecotoxicity:	Not available.	
Persistence / Degradability:	Not available.	
Bioaccumulation / Accumulation:	Not available.	
Mobility in Environment:	Not available.	
Other Adverse Effects:	Not available.	
Section 13: DISPOSAL CONSIDERATIONS		
and loc	Puctions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.	



Dichlorprop DX

Date of Preparation: March 26, 2020

Section 14: TRANSPORT INFORMATION

U.S. Department of Transporta Proper Shipping Name:	tion (DOT) Not regulated.
Class:	Not applicable.
UN Number:	Not applicable.
Packing Group:	Not applicable.
Label Code:	Not applicable.
Canada Transportation of Dang Proper Shipping Name:	gerous Goods (TDG) Not regulated.
Class:	Not applicable.
UN Number:	Not applicable.
Packing Group:	Not applicable.
Label Code:	Not applicable.

Section 15: REGULATORY INFORMATION

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

Component	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (Ibs.)	CERCLA RQ (lbs.)	Section 313	RCRA CODE	CAA 112(r) TQ (lbs.)
2,4-D-isoctyl	Not listed.	Not listed.	100	Not listed.	Not listed.	Not listed.

State Regulations

Massachusetts	

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of			
Massachusetts Regulations Section 670.000) Component	CAS No.	RTK List	
Dichlorprop-p-2-ethylhexyl	865363-39-9	Listed.	
2,4-Dichlorophenoxyacetic acid, isooctyl ester	25168-26-7	Listed.	
Distillates (petroleum), hydrotreated light	64742-47-8	Listed.	

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5) CASNO Component **RTK** | ist

Component	CAS NO.	
Distillates (petroleum), hydrotreated light	64742-47-8	Listed.



Pennsylvania		
US Pennsylvania Worker and Community Right-to-	Know Law (34 Pa. Code	e Chap. 301-323)
Component	CAS No.	RTK List
Dichlorprop-p-2-ethylhexyl	865363-39-9	Listed.
2,4-Dichlorophenoxyacetic acid, isooctyl ester	25168-26-7	E
Distillates (petroleum), hydrotreated light	64742-47-8	Listed.
Note: E = Environmental Hazard		

California

California Prop 65:

rop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS:	March 26, 2020
Version:	1.0
GHS SDS Prepared by:	Deerfoot Consulting Inc.
	Phone: (403) 720-3700