

SAFETY DATA SHEET

1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Bolster II Desiccant
Pest Control Product Number:	33743
Product Use:	Agrochemicals/Herbicide
Manufacturer /Supplier:	INTERPROVINCIAL COOPERATIVE LTD. 945 Marion St.
	Winnipeg, Manitoba
	R2J 0K7
	<u>www.ipco.ca</u>
Effective Date:	20/04/2020
	This product is regulated under authority of the Pest Control Products Act

2: HAZARD IDENTIFICATION

	GHS classification in accordance with 29 CFR 1910.1200:
Acute Toxicity (Inhalation)	Category 3
Acute Toxicity (Oral)	Category 4
Corrosive to Metals	Category 1
Eye Irritation	Category 2B
Specific Target Organ Toxicity	Category 3
(STOT) Single Exposure	
Specific Target Organ Toxicity	Category 1
(STOT) Repeated Exposure	

Pictograms:



Signal word:	Danger
Hazard statements:	May be corrosive to metals. Harmful if swallowed. Causes eye irritation. Toxic if inhaled. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement:	Keep only in original packaging. Do not breathe dust/fume/gas/mist/vapours/spray.Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.
	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if inhaled. Call a POISON CENTER/doctor if you feel unwell. Specific treatment: See Section 4 of this SDS. Rinse mouth. If eye irritation persists: Get medical advice/attention. Absorb spillage to prevent material-damage.
Other hazards:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to an approved waste disposal plant. To avoid risk to human health and the environment, comply with the instructions for
ouror nuzuruo.	To avoid how to human hould and the onvironment, comply with the instructions for

To avoid risk to human health and the environment, comply with the instructions fo use. Flammable hydrogen gas may be formed on contact with aluminum. If spilled and allowed to stand, product can dry to a highly irritating dust

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd.; Information Phone: 204-233-3461

3: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CASNUMBER	% (W/W)
Diquat dibromide (6,7- dihydrodipyrido[1,2-a-2,1'-C] pyrazinedilum	85-00-7	39.5%

dibromide

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4: FIRST AID MEASURES	
General:	IF POISONING IS SUSPECTED, immediately contact the poison information center, doctor or nearest hospital. Have the product container, label or Safety Data Sheet with you, a poison control center or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given.
Inhalation:	Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for treatment advice.
Skin contact:	Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with running water for a minimum of 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye contact:	Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. IMMEDIATE MEDICAL ATTENTION IS REQUIRED.
Ingestion:	If swallowed, immediately contact a poison control center, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to do so. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control center. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.
Most important symptoms and effects, both acute and delayed:	Inflammation of the mouth, throat and esophagus. Gastrointestinal discomfort. Diarrhea. Toxic if inhaled. Harmful if swallowed. Causes eye irritation. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact. Causes damage to organs through prolonged or repeated exposure. May cause respiratory irritation.
Indication of any immediate medical attention and special treatment needed:	Administer either activated charcoal (100 g for adults or 2 g/kg body weight in children) or Bentonite Clay (100 to 150 g for adults or 2 g/kg body weight for children), mixed with a purgative (MgSO4 or mannitol). Maintain and monitor electrolyte and fluid status daily. Consider hemodialysis or hemoperfusion using charcoal column. Note: The use of gastric lavage without administration of an absorbent has not shown any clinical benefit.
	Eye Contact: Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should continue until complete healing has occurred.
	To be effective, treatment for ingestion of the product must begin immediately. Treatment consists of binding the active ingredient, diquat, in the gut with suspensions of activated charcoal or bentonite clay to enhance elimination and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

5: FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist. Cool closed containers exposed to fire with water spray.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread the fire.
Specific hazards arising from the product:	Flammable hydrogen gas may be formed on contact with aluminum. If the concentrate is spilled and allowed to stand, it can dry to a highly irritating dust. Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.
Special Protective equipment and Precautions for firefighters:	Wear full protective clothing and self-contained breathing apparatus. Evacuate non- essential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water run-off can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.
: ACCIDENTAL RELEASE MEA	ASURES
Personal precautions:	Control the spill at its source. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.
Environmental precautions:	Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.
Methods and materials for containment and clean up:	Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or seep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into a compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal.
7: HANDLING AND STORAGE	•
Precautions for safe handling:	This product reacts with aluminum to produce flammable hydrogen gas. Do not mix or store in containers or systems made of aluminum or having aluminum fittings. Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel or fiberglass. If the concentrate is spilled and allowed to stand, it can dry to a highly irritating dust.
	KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours, dust or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.
Conditions for safe storage including any incompatibilities:	Store in original container in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Refer to the product label for specific storage recommendations, including minimum storage temperature and freeze/thaw stability. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

BOLSTER II DESICCANT

SAFETY DATA SHEET

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL AND/OR ON-FARM APPLICATIONS.

Control parameters:

Chemical name	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS
Diquat dibromide (85-00-7)	Not established	0.5 mg/m3 TWA (inhalable); 0.1 mg/m3 TWA (respirable)	0.5 mg/m3 TWA (total) (AB/BC/ON/QC); 0.1 mg/m3 TWA (respirable) (AB/BC/ON/QC)	No	Not established
Appropriate engineeri controls:	sufficien Warehou adequat	t to maintain airluses, production	oorne levels belo areas, parking o prevent enviror	ow the TLV (thresho lots and waste hold	ent, and procedures old limit value). ing facilities must have tion. Provide separate
Individual Protection Measures:	Wash th				th eye, skin and clothing applying cosmetics or
Eye protection:				al splash goggles. F eyewash facility ar	acilities storing or utilizin nd safety shower.
Skin protection:	coveralls	•	emical- resistant		trile or butyl) gloves, nead exposure, wear
Inhalation:	installed respirate cases of	to comply with o or with any N, R, emergency spil	occupational exp P or HE filter. U ls, when exposu	bosure limits. Use a lse a self-contained ire levels are unkno	breathing apparatus in
Ingestion:				bly cosmetics in are ways wash thoroug	as where there is a hly after handling.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark brown liquid
Formulation Type:	Solution concentrate
Physical State:	Liquid
Color:	Dark brown
Odor:	Odorless
Odor threshold:	No data available
pH:	4-6
Melting point:	Not applicable
Freezing point:	-7°C
Boiling point:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid/gas):	Not applicable

In case of emergency call CANUTEC at 613-996-6666

BOLSTER II DESICCANT

SAFETY DATA SHEET

Lower Explosive limit:	Not applicable
Upper Explosive Limit:	Not applicable
Vapour pressure:	Diquat dibromide: 7.50 x 10-8 mmHg @ 20 °C.
Vapour Density:	No data avalable
Relative density:	1.20 g/mL @ 20 °C.
Solubility:	Diquat dibromide: Miscible @ 20 °C, pH 7 (water).
Partition Coefficient (n-octanol water):	Diquat dibromide: - 4.6
Auto ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	2.3 mPa·s @ 20 °C.
Other information:	Not applicable
10: STABILITY AND REACTIVIT	Υ
Reactivity:	Not reactive.
Chemical Stability:	Stable under normal use and storage conditions.
Possibility of hazardous reactions:	This product reacts with aluminum to produce flammable hydrogen gas. If the concentrate is spilled and allowed to stand, it can dry to a highly irritating dust.
Conditions to avoid:	Do not mix or store in containers or systems made of aluminum or having aluminum fittings. Spray solutions should not be mixed, stored, or applied in containers other

than plastic, plastic-lined steel, stainless steel or fiberglass.Incompatible Materials:Corrosive to aluminum. Strong alkalis and anionic wetting agents (e.g. alkyl and
alkylaryl sulfonates).Hazardous decomposition
products:Can decompose at high temperatures forming toxic gases. During a fire, irritating
and possibly toxic gases may be generated by thermal decomposition or

combustion.

11: TOXICOLOGICAL INFORMATION

Likely routes of exposure:	Dermal, inhalation, oral.			
Symptoms of Acute Exposure:	Inflammation of the mouth, throat and esophagus. Gastrointestinal discomfort. Diarrhea. Toxic if inhaled. Harmful if swallowed. Causes eye irritation.			
Potential Health effects:	Causes damage to organs through prolonged or repeated exposure. May cause respiratory irritation.			
	Chemical Name	LD50Oral	LD50Dermal	LC50Inhalation
	Diquat dibromide (85-00-7)	Female Rat: 886 mg/kg body weight	Rat: > 5,050 mg/kg body weight	Rat: > 0.62 mg/L air – 4 hours
Eye Contact:	Mildly irritating (Rabbit)			
Skin Contact:	Slightly irritating (Rabbit)			
Skin sensitization:	Not a sensitizer (Guinea Pig)			
STOT - single exposure:	May cause respiratory irritation.			
STOT - repeated exposure:	Ocular effects (cataracts) have been reported following long-term exposure of laboratory animals.			
Carcinogenicity:	Did not show carcinogenic effects in animal experiments.			
Reproductive Toxicity:	Did not show reproductive toxicity effects in animal experiments.			
Aspiration hazard:	Not classified as an aspiration hazard.			
Toxicity of Other Components:	The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the "other components" in the formulation.			
n case of emergency call	CANUTEC at 613-996-6666			

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd.; Information Phone: 204-233-3461

BOLSTER II DESICCANT

SAFETY DATA SHEET

2: ECOLOGICAL INFORI		Invertebrates	Fish	Birds (Mallard		
Ecotoxicity:	Chemical name	(Water Flea)	Fish (Rainbow Trout)	Birds (Mallard Duck)		
	Diquat dibromide (85-00-7)	LC50/EC50: 1.2 ppm- 48 hr.	LC50/EC50: 6.1 ppm-96 hr.	LC50/EC50: 1,570 ppm -5-day dietary		
degradability:	stent in soil. Persistent in < 500; does not bioaccum		ment.			
potential:	,					
	nobility in soil.					
effects:	pplicable.					
3: DISPOSAL CONSIDER	RATIONS					
Waste from residue: Contaminated packaging	contaminate por dispose of wast incineration. If regulations.	0				
Contaminated packaging	contents Triple	Refer to the product label for specific disposal/recycling information. Empty remaining contents Triple rinse containers Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.				
4: TRANSPORT INFORM	IATION					
<u>TDG</u> :						
UN Number:	UN 1760					
Proper Shipping Name:	Corrosive Liquid	Corrosive Liquid, N.O.S. (Diquat dibromide).				
Transport Hazard Class:	Class 8					
Packing Group:	PG III	PG III				
Environmental Hazard:	Corrosive liquid,	environmentally hazard	ous.			
IMDG (Transport by sea)	:					
UN Number:	UN 1760					
Proper Shipping Name:	Corrosive Liquid	Corrosive Liquid, N.O.S. (Diquat dibromide), Marine Pollutant				
Transport Hazard Class:	Class 8	Class 8				
Packing Group:	PG III	PG III				
Environmental Hazard:	Corrosive liquid,	marine pollutant.				
IATA (Transport by air):						
UN Number:	UN 1760					
Proper Shipping Name:	Corrosive Liquid	l, N.O.S. (Diquat dibromi	ide).			
Transport Hazard Class:	Class 8					
Packing Group:	PG III					
Environmental Hazard:	Corrosive liquid,	environmentally hazard	ous.			
Special Precautions for U	lser: Not applicable	Not applicable				
Transport in Bulk Accord Annex II of MARPOL 73/7 the IBC Code:						
n case of emergency call Interprovincial Cooperative						
ffective Date: 20/04/2020		PCP#33743		Page 6 o		

PCP#33743

15: REGULATORY INFORMATION

There are Canada-specific environmental requirements for handling, use and disposal of this pest control product that are indicated on the product label.

Hazardous Products Act Information:	This product has been classified in accordance with the amended Hazardous Products Act and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.
Hazardous Products Act Information:	WHMIS 2015 Classification This product is exempt under WHMIS 2015.
Pest Control Products Act	33743
(PCPA) Registration No.:	Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product. This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets.
PCPA Label Hazard Communications:	Read the label and booklet before using. Keep out of reach of children. Warning: Poison. Caution: Eye and Skin Irritant.
Allergens Contained in the Pest Control Product:	Not applicable.
NPRI Components:	Not applicable.

PCPA Hazard on Label:	Poison	GHS Hazard Classification:	Acute Toxicity (Inhalation) – Category 3; Acute Toxicity (Oral) – Category 4
PCPA Precautionary Symbol:		GHS Hazard Symbol:	
PCPA Signal Word(s):	Warning	GHS Signal Word:	Danger
PCPA Hazard Statement:	n/a	GHS Hazard Statement:	Toxic if inhaled.
			Harmful if swallowed.
PCPA Hazard on Label:	Eye Irritant	GHS Hazard	Eye Irritation – Category 2B
PCPA Precautionary	Not applicable.	GHS Hazard Symbol:	Not applicable.
Symbol:			
PCPA Signal Word(s):	Caution	GHS Signal Word:	Warning
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	Causes eye irritation.
PCPA Hazard on Label:	Skin Irritant	GHS Hazard	Not applicable.
PCPA Precautionary	Not applicable.	GHS Hazard Symbol:	Not applicable.
Symbol:	~ ~		· ·
PCPA Signal Word(s):	Caution	GHS Signal Word:	Not applicable.
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	Not applicable.

16: OTHER INFORMATION

WHMIS Classification:	This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant SDS.	
Revision Date:	29/04/2020 (Reason: IPCO Logo update)	
Notice:	The enclosed information is supplied as a customer service and is provided in go faith. Although it has been based on data drawn from sources deemed to be reliable, Interprovincial Cooperative Limited cannot guarantee its accuracy and assumes no responsibility for conditions resulting from its use.	